

MFICBOWN

From: Allen Snyder <amsnyder@mhi.ca>
Sent: Thursday, August 9, 2012 12:11 AM
To: Bown, Charles W.
Cc: Paul Wilson; mkast@[REDACTED]
Subject: RE: MHI Decision Gate 3 review report draft

Hi Charles: I would be happy to discuss the report with you via telephone but recognize that this is less than satisfactory usually. Given the complexity of the issues, I would suggest that it would be more productive if you travelled to Winnipeg but I leave that to your discretion. If you had a series of queries or areas where you would like a further in depth response, we would be sure to have the appropriate staff at your disposal. I believe Mack Kast is travelling to Newfoundland next week so he could gain a more thorough understanding of your requirements.

Thanks
Al

From: Bown, Charles W. [mailto:cbown@gov.nl.ca]
Sent: August-07-12 1:33 PM
To: Paul Wilson
Cc: Allen Snyder; mkast@[REDACTED]
Subject: RE: MHI Decision Gate 3 review report draft

Al;
I have reviewed the draft and have some questions that I would like to discuss with you. If possible, I'd like to see you and select team members in St. John's so that we can have a more fulsome discussion as there are matters raised here that exceed my level of understanding and would benefit from a technical briefing. Alternatively, I could travel to your location.
Charles

From: Paul Wilson [mailto:plwilson@mhi.ca]
Sent: Thursday, August 02, 2012 4:45 PM
To: Bown, Charles W.
Cc: Allen Snyder; Mack Kast (mkast@[REDACTED])
Subject: MHI Decision Gate 3 review report draft

Hello Charles, here is the PDF version of the document. I have reiterated the original email on the off chance that it was filtered out by the mail systems.

Hello Charles, I am pleased to send you the first draft of the technical portion of the DG3 review report for your review and comment. There are still a few sections that will need some work, particularly the Holyrood options, and the AC integration studies sections. Although there is good information in the report, the AC integration studies are relatively technical so they may require a little work to make to simplify with language relevant for the CPW review of DG3. The CPW analysis (waiting on the visit and data), Conclusions and Executive Summary (done last) are yet to be completed. Let me know if this is okay to send to Nalcor for their review.

I am on holidays for the next two weeks returning to the office on the 20th. I will be back in blackberry range after the 10th of August if you have to reach me. As an alternative, you can call Mr. Al Snyder at the numbers below if you have issues to discuss on the report or feedback on the contents.

Allen Snyder
11 Rockcliffe Road
Winnipeg, MB R2J 3C9
Canada
Home: +1 (204) 257-7123
cabin: +1 (807) 733-2355
Mobile: +1 (204) 981-0756
E-mail: amsnyder@mhi.ca

I would try each of the numbers starting with mobile, cabin, then home to contact Al Snyder.

Nalcor has schedule the CPW visit for August 15 – 17th. Mack Kast is scheduled to fly down on the 14th for those series of meetings. I will inform Brian Crawley of this so Nalcor is prepared.

The Wind study still requires the contract to be executed. If the contract is ready to send to us, you may send it to Danny Northcott at

dnorthcott@hvdc.ca
+1 204 989-1248

Danny will be pulling together the technical work on the wind study while I am away. Nalcor plans to send us their completed wind study the week of the 6th so we can start that phase of the review.

Congratulations on the Emera deal signed on Monday. I imagine that has been keeping you very busy this week. I will talk to you once I return.

Regards,

Paul Wilson, P. Eng.
Managing Director, Subsidiary Operations
Manitoba Hydro International Ltd.
211 Commerce Drive
Winnipeg, MB R3P 1A3
Canada
P: +1 204 989-1271
F: +1 204 475-7745
M: +1 204 510-1271

“This email and any attached files are intended for the sole use of the primary and copied addressee(s) and may contain privileged and/or confidential information. Any distribution, use or copying by any means of this information is strictly prohibited. If you received this email in error, please delete it immediately and notify the sender.”