Re: NE-LCP-TRANSMIT-000623: LCP Permits - Blanket DOEC Permit to Alter a Body ... Page 1 of 2

Page 1

CIMFP Exhibit P-01732

7550-001 Covi.

David Schulze

From:

David Schulze

Sent:

December-14-13 11:00 AM

To:

Rebello, Krista; preid@innu.ca; linnes@oktlaw.com; mcgagnon@blg.com; renzoni@atmacinta.com; Morgan Kendall; tom_sheldon@nunatsiavut.com; grussell@nunatukavut.ca; Harvey, Brian; Khan,

Haseen; Carter, Paul; PeterMadden@lowerchurchillproject.ca;

MarionOrgan@lowerchurchillproject.ca

Subject: Re: NE-LCP-TRANSMIT-000623: LCP Permits - Blanket DOEC Permit to Alter a Body of Water -

HVdc Line Section 1, Segments 1 and 2 - Labrador ACNXREF<RqYkaAUAAv6lqmOKhlJJSB>

Ms. Rebello,

I never received the document to which you refer.

You should note that my client rejected your government's approach to permitting for this project from the outset: it promised and produced your practice of emailing complex documents in English to individuals whose first language is Innu and second language is French, demanding comments in weeks but without offering any capacity or funding.

In face of your persistence in carrying out this approach, my client's failure to respond should not ever be taken as constituting any position other than its disinclination to devote limited resources to participating in the charade that the Government of Newfoundland has organized instead of meaningful consultation and accommodation.

I would appreciate receiving a copy of future correspondence to the Conseil des Innus de Ekuanitshit but I would insist on your noting that should my office fail to respond, the Government of Newfoundland is expressly instructed to draw no conclusion from our silence, except that your so-called consultation procedure remains as inadequate today as when it was proposed.

David Schulze

On 2013-12-13 10:08 AM, "Rebello, Krista" < kristarebello@gov.nl.ca> wrote:

December 13, 2013

ATTENTION:

The timeframe for comments on LCP Permits - Blanket DOEC Permit to Alter a Body of Water - HVdc Line Section 1, Segments 1 and 2 - Labrador, which was referred on November 13, 2013 has ended. The Government of Newfoundland of Labrador will now proceed to issue the applicable regulatory approval.

13 decembre 2013

ATTENTION:

Le délai pour les commentaires sur LCP Permits - Blanket DOEC Permit to Alter a Body of Water - HVdc Line Section 1, Segments 1 and 2 - Labrador, qui a été renvoyé le 13 novembre 2013 a expiré. Le gouvernement de Terre-Neuve-et-Labrador va maintenant procéder à délivrer le permis applicable.

Krista Rebello, P. Eng.

Environmental Engineer, Water Investigations Section Water Resources Management Division Department of Environment and Conservation 4th Floor Confederation Building West Block P.O. Box 8700 St. John's NL A1B 4J6 t. 709.729.2657

f. 709.729.0320

e. KristaRebello@gov.nl.ca <mailto:KristaRebello@gov.nl.ca>

"This email and any attached files are intended for the sole use of the primary and copied addressee(s) and may contain privileged and/or confidential information. Any distribution, use or copying by any means of this information is strictly prohibited. If you received this email in error, please delete it immediately and notify the sender."

DAVID SCHULZE Avocat / Lawyer

DIONNE SCHULZE

s.e.n.c.

507 Place d'Armes, #1100 Montréal, Québec H2Y 2W8 Téléphone : (514) 842-0748 / 228

Fax: (514) 842-9983

dschulze@dionneschulze.ca

IMPORTANT NOTE: This message is confidential and may be subject to professional privilege; it is intended exclusively for the recipient(s) to whom it is addressed. Should you not be such an intended recipient, please inform the sender of this message, and destroy this message without opening any attachments and without reading further.

AVIS IMPORTANT : Ce message est confidentiel et peut être sujet au secret professionnel; il est destiné exclusivement au(x) destinataire (s) au(x)quel(s) il est adressé. Si vous n'êtes pas un tel destinataire, veuillez informer l'expéditeur de ce message et détruire ce message sans ouvrir aucun fichier ci-joint et sans lire plus loin.